

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

1/10



2/10



3/10






FIG. 3

4/10



5/10



6/10




FIG. 6

7/10




FIG. 7

## Figures 8A, 8B, 8C: Optoinjection of TR-Dextran




Fig. 8A:  
All Cells




Fig. 8B:  
TR-Dextran





Fig. 8C:  
Dead Cells

9/10

Figure 9: Optoinjection of Dye



# Figures 10A, 10B: Optoinjection of Plasmid

10/10





Fig. 10A: Control      Fig. 10B: Optoinjected